

Series Name: B4E\_M

Department of Energy Requirements		
PElcL	0.91	
	B4EM	
Model		
Imp. Dia. (in.)	10.438	

Pump	Size:	4 x	5 x	10	М

Available Configurations		Curve Conditions		
CCMD	B4EPM	Nominal RPM	1750	
Frame	B4ERM	Maximum Working Pressure	266 psi (18 bar)	
SAE	B4EQM	Based on Fresh Water @ F	68 (20 C)	








## Series Name: B4E\_M


Department of Energy Requirements		
PEIc1 0.91		
	B4EM	
Model		
Imp. Dia. (in.)	10.438	

## Pump Size: 4 x 5 x 10 M

Available Configurations		
CCMD	B4EPM	
Frame	B4ERM	
SAE	B4EQM	

Curve Conditions		
Nominal RPM	VARIOUS	
Maximum Working Pressure	266 psi (18 bar)	
Based on Fresh Water @ F	68 (20 C)	





This product as sold in U.S. is regulated by 10 CFR Parts 429 and 431.

## 293 Wright Street | Delavan | WI 53115 | www.BerkeleyPumps.com

All Pentair trademarks and logos are owned by Pentair. All other brands or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer. BK13002AG DDE (11/25/19) © 2019 Pentair plc. All Rights Reserved.