
Series Name: B6Z_BHH

Department of Energy Requirements		
PElcL	0.91	
	В6ZВНН	
Model		
Imp. Dia. (in.)	9.63	

Pump Size: 6 x 8 x 9.5 BHH

Available Configurations		
CCMD	B6ZPBHH	
Frame	B6ZRBHH	
SAE	В6ZQВНН	

Curve Conditions			
Nominal RPM	1750		
Maximum Working Pressure	175 psi (12 bar)		
Based on Fresh Water @ F	68 (20 C)		



Capacity - m3/h


Series Name: B6Z_BHH

Department of Energy Requirements		
PElcL	0.91	
	B6ZBHH	
Model		
Imp. Dia. (in.)	9.63	

Pump Size: 6 x 8 x 9.5 BHH

Available Configurations		
CCMD	B6ZPBHH	
Frame	B6ZRBHH	
SAE	В6ZQВНН	

Curve Conditions			
Nominal RPM	VARIOUS		
Maximum Working Pressure	175 psi (12 bar)		
Based on Fresh Water @ F	68 (20 C)		



This product as sold in U.S. is regulated by 10 CFR Parts 429 and 431.

293 Wright Street | Delavan | WI 53115 | www.BerkeleyPumps.com

All Pentair trademarks and logos are owned by Pentair. All other brands or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer. BK13005AG DDE (11/25/19) © 2019 Pentair plc. All Rights Reserved.