
Series Name: B3J_BM

Department of Energy Requirements			
PEIcl	0.96		
	B3JBM		
Model			
Imp. Dia. (in.)	13.13		

Pump	Size:	3 x	4 x	13	вм
	0.20.	0 1			

Available Configurations			
CCMD	B3JPBM		
Frame	B3JRBM		
SAE			

Curve Conditions				
Nominal RPM	1770			
Maximum Working Pressure	266 PSI (18 BAR)			
Based on Fresh Water @ F	68 (20C)			




Capacity - m3/h

Series Name: B3J_BM

Department of Energy Requirements			
PElcL	0.96		
	B3JBM		
Model			
Imp. Dia. (in.)	13.13		

Pump	Size:	3 x	4 x	13	BM
i uiiip	OIZC.	U A	7 ^	10	DI 1

Available Configurations		Curve Conditions	
CCMD	B3JPBM	Nominal RPM	VARIOUS
Frame	B3JRBM	Maximum Working Pressure	266 PSI (18 BAR)
SAE		Based on Fresh Water @ F	68 (20C)



This product as sold in U.S. is regulated by 10 CFR Parts 429 and 431.

293 Wright Street | Delavan | WI 53115 | pentair.com/berkeley

All Pentair trademarks and logos are owned by Pentair. All other brands or product names are trademarks or registered marks of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.

B3JBM-D0E (06-01-2021) © 2021 Pentair plc. All Rights Reserved.